



M57762

TYPICAL PERFORMANCE DATA


OUTPUT POWER, TOTAL EFFICIENCY, INPUT
VSWR VS. FREQUENCY CHARACTERISTICS




OUTPUT POWER, TOTAL CURRENT,
VS.
INPUT POWER CHARACTERISTICS




OUTPUT POWER, TOTAL CURRENT,
VS.
INPUT POWER CHARACTERISTICS




OUTPUT POWER, TOTAL CURRENT,
VS.
INPUT POWER CHARACTERISTICS



OUTPUT POWER, TOTAL CURRENT,
FIRST CURRENT VS.
SUPPLY VOLTAGE CHARACTERISTICS




OUTPUT POWER, TOTAL CURRENT,
FIRST CURRENT VS.
SUPPLY VOLTAGE CHARACTERISTICS




1240-1300MHz, 12.5V, 18W, SSB MOBILE RADIO


OUTPUT POWER, TOTAL CURRENT,
FIRST CURRENT VS.
SUPPLY VOLTAGE CHARACTERISTICS



OUTPUT POWER, FINAL
CURRENT VS. FIRST
VOLTAGE CHARACTERISTICS



OUTPUT POWER, FINAL
CURRENT VS. FIRST
VOLTAGE CHARACTERISTICS



OUTPUT POWER, FINAL
CURRENT VS. FIRST
CURRENT CHARACTERISTICS

