



PRE-RELEASE INFORMATION

HF/50MHz TRANSCEIVER

**IC-7850**

Icom 50th Anniversary Limited Edition



# Pinnacle of HF Perfection



- 1.2kHz "Optimum" Roofing Filter
- New Local Oscillator Design
  - Improved Phase Noise
- Improved Spectrum Scope
  - Dual Scope Function
- High Resolution Spectrum Waterfall
- Enhanced Mouse Operation for the Spectrum Scope




**1.2kHz "Optimum" Roofing Filter**

The IC-7850 utilizes a newly developed 1.2kHz roofing filter, greatly improving the in-band adjacent signal performance. This enhancement enables the up-conversion design of the IC-7850 to have excellent filter performance while providing a dynamic range that outperforms the competition in the 10kHz or less separation tests.



1.2kHz "Optimum" Roofing Filter


**1.2kHz "Optimum" Roofing Filter Characteristics**



**New Local Oscillator Design**

Breaking tradition, Icom employs a Direct Digital Synthesizer (DDS) along with a Phase Locked Oscillator for the IC-7850's Local Oscillator (LO). The LO's C/N ratio excels beyond our competitors, and the noise components generated in both receive and transmit signals are reduced virtually below detection.

**LO C/N Characteristics Comparisons 1st LO @ 14.1MHz**



Brand A premium model


Brand B premium model

IC-7850

**Improved Phase Noise**

With the latest design of the LO, the IC-7850 will become the new benchmark for Phase Noise with  $-150\text{dBc/Hz}$  at 10kHz offset and  $-140\text{dBc/Hz}$  even at 1kHz offset. (Previous mark of Phase Noise excellence was  $-138\text{dBc/Hz}$  at 10kHz offset and  $-110\text{dBc/Hz}$  at 1kHz offset.)

**Phase Noise Characteristics 1st LO @ 14.1MHz**



Brand A premium model

Brand B premium model

IC-7850

All stated features, appearances, and specifications may be subject to change without notice. Icom, Icom Inc. and the Icom logo are registered trademarks of Icom Incorporated (Japan) in the United States, the United Kingdom, Germany, France, Spain, Russia and/or other countries. All other trademarks are the properties of their respective holders.

**Icom Inc.**

1-1-32, Kami-minami, Hirano-ku, Osaka 547-0003, Japan Phone: +81 (06) 6793 5302 Fax: +81 (06) 6793 0013

[www.icom.co.jp/world](http://www.icom.co.jp/world)

**Count on us!**

**Icom America Inc.**

12421 Willows Road NE,  
Kirkland, WA 98034, U.S.A.  
Phone: +1 (425) 454-8155  
Fax: +1 (425) 454-1509  
E-mail: [sales@icomamerica.com](mailto:sales@icomamerica.com)  
URL: <http://www.icomamerica.com>

**Icom Canada**

Glenwood Centre #150-6165  
Highway 17A, Delta, B.C.,  
V4K 5B8, Canada  
Phone: +1 (604) 952-4266  
Fax: +1 (604) 952-0090  
E-mail: [info@icomcanada.com](mailto:info@icomcanada.com)  
URL: <http://www.icomcanada.com>

**Icom Brazil**

Rua Itororó, 444 Padre Eustáquio  
Belo Horizonte MG,  
CEP: 30720-450, Brazil  
Phone: +55 (31) 3582 8847  
Fax: +55 (31) 3582 8987  
E-mail: [sales@icombrazil.com](mailto:sales@icombrazil.com)

**Icom (Europe) GmbH**

Communication Equipment  
Auf der Krautweide 24  
65812 Bad Soden am Taunus, Germany  
Phone: +49 (6196) 76685-0  
Fax: +49 (6196) 76685-50  
E-mail: [info@icom-europe.com](mailto:info@icom-europe.com)  
URL: <http://www.icomeurope.com>

**Icom Spain S.L.**

Ctra. Rubí, No. 88 "Edificio Can Castanyer"  
Bajos A 08174, Sant Cugat del Valles,  
Barcelona, Spain  
Phone: +34 (93) 590 26 70  
Fax: +34 (93) 589 04 46  
E-mail: [icom@icomspain.com](mailto:icom@icomspain.com)  
URL: <http://www.icomspain.com>

**Icom (UK) Ltd.**

Blacksole House, Altira Park,  
Herne Bay, Kent, CT6 6GZ, U.K.  
Phone: +44 (0) 1227 741741  
Fax: +44 (0) 1227 741742  
E-mail: [info@icomuk.co.uk](mailto:info@icomuk.co.uk)  
URL: <http://www.icomuk.co.uk>

**Icom France s.a.s.**

Zac de la Plaine,  
1 Rue Brindejonn des Moulinais, BP 45804,  
31505 Toulouse Cedex 5, France  
Phone: +33 (5) 61 36 03 03  
Fax: +33 (5) 61 36 03 00  
E-mail: [icom@icom-france.com](mailto:icom@icom-france.com)  
URL: <http://www.icom-france.com>

**Icom (Australia) Pty. Ltd.**

Unit 1 / 103 Garden Road,  
Clayton, VIC 3168 Australia  
Phone: +61 (03) 9549 7500  
Fax: +61 (03) 9549 7505  
E-mail: [sales@icom.net.au](mailto:sales@icom.net.au)  
URL: <http://www.icom.net.au>

**Icom New Zealand**

39C Rennie Drive, Airport Oaks,  
Auckland, New Zealand  
Phone: +64 (09) 274 4062  
Fax: +64 (09) 274 4708  
E-mail: [inquiries@icom.co.nz](mailto:inquiries@icom.co.nz)  
URL: <http://www.icom.co.nz>

**Asia Icom Inc.**

6F No. 68, Sec. 1 Cheng-Teh Road,  
Taipei, Taiwan, R.O.C.  
Phone: +886 (02) 2559 1899  
Fax: +886 (02) 2559 1874  
E-mail: [sales@asia-icom.com](mailto:sales@asia-icom.com)  
URL: <http://www.asia-icom.com>

**Shanghai Icom Ltd.**

No.101, Building 9, Caifuxingyuan Park,  
No.188 Maoting Road, Chedun Town,  
Songjiang District, Shanghai, 201611, China  
Phone: +86 (021) 6153 2768  
Fax: +86 (021) 5765 9987  
E-mail: [bjicom@bjicom.com](mailto:bjicom@bjicom.com)  
URL: <http://www.bjicom.com>

**Improved Spectrum Scope**

By using the dedicated DSP for the Fast Fourier Transform (FFT) spectrum scope, the IC-7850 provides faster sweep speeds and better accuracy than other brand models, even the IC-7800.

Span Width	5kHz-1000kHz
Resolution*1	1 dot*3
Sweep Speed	29.3 samples/Sec*4
Input Dynamic Range	116dB*5
Max. Sensitivity*2	-39dBμ*5

\*1 Number of dots shown at 60dB level, when receiving a signal.  
\*2 Recognized level at the Spectrum Waterfall  
\*3 SPAN=More than 20kHz, SPEED=Slow  
\*4 SPAN=Less than 20kHz, SPEED=Fast  
\*5 SPAN=5kHz, SPEED=Slow

Reference specifications (Not guaranteed)

**Dual Scope Function**


Another scope enhancement in the IC-7850 is the ability to simultaneously "see" activity in both bands. This is useful when searching for multipliers on the Sub band while maintaining your operating frequency on the Main band.



Dual scope example (Vertically aligned)

**High Resolution Spectrum Waterfall**

The spectrum waterfall function shows the changing amplitude of frequency over time. A weak signal which cannot be recognized with the spectrum scope may be found on the waterfall screen. The waterfall screen also has a higher resolution than other brand models, even the IC-7800.



Spectrum waterfall

**Enhanced Mouse Operation for the Spectrum Scope**

Connect a mouse to the USB port to change the operating frequency, tune the frequency, switch Fixed and Center mode, adjust the sweep speed and more. Also, simply click on a signal on the scope and the frequency is automatically selected as your operating frequency.

**Other Features**

- Simplified RS-BA1 Remote Control
- Supports PSK63 as well as PSK31
- SD card slot for voice and data storage
- USB, Ethernet and S/P DIF Interfaces
- Enhanced Digital Voice Recorder
- Comfortable solid feel main dial
- Firmware updates can be made from an SD card or USB flash drive



HF/50MHz TRANSCEIVER  
**IC-7850** **50<sup>th</sup> Anniversary Limited Edition**

Your local distributor/dealer: