

BBS Commands Cheatsheet

**If you have any of the following, please contact
Declan - KG7HTE at KG7HTE@gmail.com**

- **Questions**
- **Need Help**
- **Notice the BBS is down**
- **Have a material submission for this document**

Table of Contents

Please Read:	3
Important V1.5 update - Please Read:	3
Nodes available to connect to:	3
Easy term install	5
Radio Easy Term - Setup	5
Mesh Easy Term	6
Set HomeBBS:	7
Set	7
Chat Server Commands:	8
Mail Server Commands:	9
*** HOW TO's BELOW ***	11
How to connect to a mail server or chat room	11
How to send a private message to "callsign"	11
How to send a bulletin ONLY to the BBS you are currently connected to.	11
How to send a bulletin out to Lebanon, Albany, Sweethome	11
How to list all messages & bulletins - Since the last time you ran " I or L "	12
How to list messages addressed to you	12
How to read a message or bulletin	12
How to list bulletin sent to a specific group	12
How to list bulletins or messages sent from a specific person	12
How to list bulletin categories ("TO Field")	12

Please Read:

- ALB prefix for Albany
- BZ prefix for Sweethome
- *Of course, you can connect to any of these BBS's, whichever one gives you the best signal but we have intended each to serve its own area as to not "clog" the individual frequency*
- *If you have mesh access you can use "Mesh Easy Term - Page 5"*
 - *This leaves the frequency open for those that do not have mesh access.*
 - *Using mesh will be EXPONENTIALLY faster than using 1200 baud over RF.*

Important V1.5 update - Please Read:

- You can connect either by the callsign-ssid or by the alias.
 - Ex. Albany BBS
 - Connect to K7LIN-3 or LINBBS
- Connecting via the alias or the callsign-ssid will get you to the same place. The alias is easier to remember and won't change even if the BBS callsign/owner does.

Nodes available to connect to:

Alias (Callsign-ssid) Server Type -- Location

If in Sweethome use:

BBS call: KG7BZ

Frequency: 144.970Mhz

BZBBS (KG7BZ-1)

Mail server -- Marks ridge

BZCHAT (KG7BZ-2)

Chat server -- Marks ridge

MKSRDG (KGBZ-7)

Main Node -- Marks Ridge

If in Albany use:

BBS call: K7LIN

Frequency: 144.950Mhz

LINBBS (K7LIN-3)

Mail server -- Albany

LINCHT (K7LIN-2)

Chat server -- Albany

LCARES 9K7LIN-7)

Main Node -- Albany

Not Currently Online:

OSUBBS (W7OSU-3)
OSUCHT (W7OSU-2)

BBS call: W7OSU

Frequency: Mhz

Mail server -- Future Albany node
Chat server -- Future Albany node

Easy term install

If you do not have mesh access you can disregard steps 3 and 4 below

Please go to -> : <http://uz7.ho.ua/apps/easyterm49.zip>

If link is broken go to ->: <http://uz7.ho.ua/packetradio.htm>

1. Create a new folder called "RF Easy Term"
2. Download the zip file and put the contents in "RF Easy Term"
3. If you have a mesh connection
 - a. Create a copy of the folder "RF Easy Term" -> "RF Easy Term Copy"
 - b. Rename "RF Easy Term Copy" -> "Mesh Easy Term"
4. Create Desktop shortcuts for "Term.exe" naming them their respective names based on the folder location
 - a. RF Easy Term - used when using radio and TNC or soundcard
 - b. Mesh Easy Term - used for when you have a mesh connection to the BBS
5. Follow the instructions below for station setup

Radio Easy Term - Setup

1. Open Radio Easy Term
2. Click Settings then "station setup" in the top toolbar.
3. Enter in your call sign
4. Click "OK"
5. You'll be asked to restart the program.

The screenshot shows a 'Station Setup' dialog box with the following fields and values:

- Terminal Callsign: KG7HTE
- Mailbox Callsign: (empty)
- Beacon Setup:
 - Destination: BEACON
 - Digipeaters: (empty)
 - Interval: 10 Min. (Info in beacon.txt)
 - Ports: 1 (Separated with comma)
- TNC Setup:
 - Host: 127.0.0.1
 - Port: 8000
 - Paclen: 80

Buttons: OK, Cancel

Mesh Easy Term

1. Open Mesh Easy Term
2. Click Settings then “station setup” in the top toolbar.
3. Enter in your call sign
4. In the “Host” box delete “127.0.0.1”
 - a. Replace with: “MarksRidge-RMS-PO.local.mesh”
5. you’ll be asked to restart the program.

Set HomeBBS:

Set

To set your HomeBBS:

1. Connect to your home BBS
 - a. Sweethome -> BZBBS
 - b. Albany -> LINBBS
2. Enter Command for your respective HomeBBS
 - a. Sweethome
 - i. Enter "home KG7BZ.OR.USA.NOAM"
 - b. Albany
 - i. Enter "home K7LIN..OR.USA.NOAM"

Chat Server Commands:

Commands can be in upper or lower case

/U - Show Users

/N - Enter your Name

/Q - Enter your QTH

/T - Show Topics

/T Name - Join Topic or Create new Topic. Topic Names are not case sensitive.

/P - Show Ports and Links

/A - Toggle Alert on user join.

/C - Toggle Colour Mode on or off (only works on Console or BPQTerminal).

/E - Toggle Echo.

/Keepalive - Toggle sending Keepalive messages every 10 minutes.

/ShowNames - Toggle displaying name as well as call on each message.

/Auto - Toggle Automatic character set selection.

/UTF-8 - Toggle Character set Selection - UTF* or 8 bit.

/CodePage (or /CP) Select Code Page to use when UTF8 is not selected.

/Time - Toggle displaying timestamp on each message.

/S CALL Text - Send Text to that station only.

/F - Force all links to be made.

/K - Show Known nodes.

/B - Leave Chat and return to node.

/QUIT - Leave Chat and disconnect from node.

Mail Server Commands:

? or Help:

Displays a list of commands.

A :

Abort the BBS output while paging.

B or Bye :

Disconnects from the BBS

Home :

Enters or modifies the Home BBS.

I :

Display sysop - provided information about this BBS.

I callsign :

Gives the information on callsign taken from the white pages database.
Callsign can include wildcards.

I@ bbs :

Gives the users of BBS found in the WP database.

K-commands delete messages sent by you or to you.

K msg# : Deletes a message identified by its number.

KM : Deletes all the messages addressed to you, that you haven't yet read.

L-commands list message headers.

L : Lists the new messages since the last usage of this command.

Lx : List messages with status "x" - x can be D F N Y \$.

LB : Lists bulletins.

LC : Lists all Bulletin "categories" (TO Fields)

LM : Lists the messages to you.

L< Callsign : Lists message from [Callsign].

L> Callsign : Lists messages to [Callsign].

L msg#- : Lists all messages, starting from msg#

L msg#-msg# : Lists messages between the given numbers.

N :

Enters or modifies your name (max 12 characters allowed).

NODE :

Exits BBS and returns to Node.

Q :

Enters or modifies QTH.

R-commands read messages.

R msg# msg# : Reads the messages by their numbers.

RM : Reads new messages to you.

S-commands send messages.

S[type] callsign : Sends a message or a bulletin.

If the type is not specified, it will be sent as private.

SP callsign : Sends a private message.

S callsign @ BBSCALLSIGN : Sends a message to a station AT another BBS.

The message must be terminated by a Ctrl/Z or /EX followed by a return.

SR Msg# : Replies to a message.

Z :

Enters or modifies the Zip Code.

*** HOW TO's BELOW ***

How to connect to a mail server or chat room

- Click connect and enter the appropriate alias or callsign-ssid from page 3 for your desired location and hit connect.

How to send a private message to "callsign"

- In the command field, you will enter "s *recipient*" -> hit enter
 - Ex. "s kg7hte" -> enter
- Then enter in the title of your message -> hit enter
 - Ex. "Test message for demo" -> enter
- Then type the body of your message -> enter
 - Ex. "Here is the body of my message" -> enter
- Then hit "Ctrl + z" to send your message.

How to send a bulletin **ONLY** to the BBS you are currently connected to.

Recipient can be your target audience. Such as LCARES, LARES, LINNCO, ect *

This bulletin will only show up on the BBS you are connected to at the time of sending.

- In the command field you will enter "sb *recipient_group*" -> hit enter
 - Ex. "sb LARES" -> enter
- Then enter in the title of your bulletin -> hit enter
 - Ex. "Test bulletin for demo" -> enter
- Then type the body of your bulletin -> enter
 - Ex. "Here is the body of my bulletin" -> enter
- Then hit "Ctrl + z" to send your bulletin.

How to send a bulletin out to Lebanon, Albany, Sweethome

Recipient can be your target audience. Such as LCARES, LARES, LINNCO, ect *

This bulletin will show up on Albany->LINBBS, and sweethome->BZBBS.

- In the command field you will enter "sb *recipient@LOCAL*" -> hit enter
 - Ex. "sb LARES@LOCAL" -> enter
- Then enter in the title of your bulletin -> hit enter
 - Ex. "Test bulletin for demo" -> enter
- Then type the body of your bulletin -> enter
 - Ex. "Here is the body of my bulletin" -> enter
- Then hit "Ctrl + z" to send your bulletin.

How to list all messages & bulletins - Since the last time you ran "I or L"

- In the command field you will enter "I" -> hit enter
 - You can use upper or lowercase "L"

How to list messages addressed to you

- In the command field you will enter "Im" -> hit enter
 - You can use upper or lowercase "LM"

How to read a message or bulletin

- In the command field you will enter "r #MSG" -> hit enter
 - You will find the message number next to the message or bulletin when you use the "I" or "Im" commands

How to list bulletin sent to a specific group

- In the command field you will enter "I > *group_name*"
 - Ex. "I > all" or "I > LARES"

How to list bulletins or messages sent from a specific person

- In the command field you will enter "I < *person_call*"
 - Ex. "I < kg7hte" or "I < k7lch"

How to list bulletin categories ("TO Field")

- In the command field you will enter "lc" or "LC"
 - Ex. "lc" or "LC"
- Then list bulletins sent to that category(sent to specific group)
 - Ex. "I > all" or "I > LARES"